	Туре	L#	Hits	Search Text	DBs	Time Stamp	Commen ts	Error Definition	Err or s
1	BRS	L8	47378	crc (cyclic near check)	USPA T; US-P GPUB ; EPO; JPO	2004/06/13 15:14			0
2	BRS	L9	10685 318	(crc cyclic adj2 redundant adj check) with length @ad<20000329	USPA T; US-P GPUB ; EPO; JPO	2004/06/13 15:16			0
3	BRS	L10	1438	(crc cyclic adj2 redundant adj check) with length and @ad<20000329	USPA T; US-P GPUB ; EPO; JPO	2004/06/13 15:17			0
4	BRS	L11	864	10 and packet	USPA T; US-P GPUB ; EPO; JPO	2004/06/13 15:16			0
5	BRS	L12	176	11 and wireless	USPA T; US-P GPUB ; EPO; JPO	2004/06/13 15:16			0
6	BRS	L13	385	10 and (length near2 indicat\$5)	USPA T; US-P GPUE ; EPO; JPO	2004/06/13 15:17			0
7	BRS	L14	291	13 and packet	USPA T; US-P GPUE ; EPO; JPO	2004/06/13 15:17			0

	Туре	L#	Hits	Search Text	DBs	Time Stamp	Commen ts	Error Definition	Err or s
8	BRS	L15	217	14 and frame	USPA T; US-P GPUB ; EPO; JPO	2004/06/13 15:18			0
9	BRS	L16	175	15 and header	USPA T; US-P GPUB ; EPO; JPO	2004/06/13 15:19			0
10	BRS	L17	35	16 and wireless	USPA T; US-P GPUB ; EPO; JPO	2004/06/13 15:18			0
11	BRS	L18	116	16 and (multiplex\$5)	USPA T; US-P GPUB ; EPO; JPO	2004/06/13 15:20			0
12	BRS	L19	102	18 and (wireless mobile base cellular)	USPA T; US-P GPUB ; EPO; JPO				0
13	BRS	L20	27	19 and video and voice and data	USPA T; US-P GPUB ; EPO; JPO	2004/06/13 17:10			0
14	BRS	L21	23	19 and multimedia\$5	USPA T; US-P GPUB; EPO; JPO	2004/06/13 17:16			0

	Туре	L#	Hits	Search Text	DBs	Time Stamp	Commen ts	Error Definition	Err or s
15	BRS	L23	1	21 and (header near (divid\$3 split\$3 segment\$3))	USPA T; US-P GPUB ; EPO; JPO	2004/06/13 17:17			0
16	BRS	L22	14	21 and (header with (divid\$3 split\$3 segment\$3))	USPA T; US-P GPUB ; EPO; JPO	2004/06/13 18:55			0
17	BRS	L38	4	21 and (header with (divid\$3 split\$3 segment\$3)) and wireless	USPA T; US-P GPUB ; EPO; JPO	2004/06/13 19:33			0
18	BRS	L39	1	21 and (header with (divid\$3 split\$3 segment\$3)) and wireless and (length with multiplex\$3)	USPA T; US-P GPUB ; EPO; JPO	2004/06/13 19:00			0
19	BRS	L42	1	21 and (header with (divid\$3 split\$3 segment\$3)) and wireless and (length near field) and (length near indicator)	USPA T; US-P GPUB ; EPO; JPO	2004/06/13 20:15			0
20	BRS	L43	0	42 and crc1 and crc2	USPA T; US-P GPUE ; EPO; JPO	2004/06/13 20:16			0
21	BRS	L44	0	38 and crc1 and crc2	USPA T; US-P GPUE ; EPO; JPO				0

	Туре	L#	Hits	Search Text	DBs	Time Stamp	Commen ts	Error Definition	Err or s
22	BRS	L45	1	22 and crc1 and crc2	USPA T; US-P GPUB ; EPO; JPO	2004/06/13 20:16			0